



#### **Overview**

The world's smallest plotters[1]—intuitive and responsibly designed.

Focus on the project, not your plotter. This printer delivers incredible ease of use with HP Click Print solutions.[2] It's responsibly designed to help you save energy[5] and reduce plastics use[7]. Plus, it's compact and adaptable—to fit the way you work.

#### INTUITIVE—Easy, effortless printing

Simplify printing with the new HP Click Print solutions—save time with real-print preview.[2]

#### OPTIMIZED—Fits the way you work

Save space with the world's smallest plotters[1] designed to fit your office, including a built-in stand.

# RESPONSIBLY DESIGNED—Reduce energy and plastic use

Save 65% energy[4] with the printer on/off auto scheduler and enjoy efficient ink maintenance routines[5].

[1]Based on competitive comparison of operational footprint. Test performed by Sogeti and commissioned by HP in May 2024.

[2]HP One-click printing with HP Click software. HP Click software is only compatible with Original HP ink supplies. Applicable to PDF, JPEG, TIFF, DWF, and HP-GL/2 files.

[4]The percentage reductions in energy consumption are based on tests conducted by HP, 2024. Data based on the implementation of auto-scheduled on/off usage in various printer models, measured on a monthly basis. Actual savings may vary depending on the specific usage patterns, printer models, and environmental conditions.

[5]Use up to 96% less ink for routine maintenance vs. competitor. Based on HP internal testing, June 2024, comparing the HP DesignJet T200 Printer series and Canon iPF TM printer series in terms of ink used during routine printhead cleanings.

[7]Recycled plastic is expressed as a percentage of the total weight plastic. Post-consumer recycled content is based on the definition set in the EPEAT standard for imaging equipment, IEEE 1680.2.

## Specifications

Print quality color (best)	Up to 2400 x 1200 optimized dpi
Functions	Print
Connectivity, standard	Gigabit Ethernet (1000Base-T), Hi-Speed USB 2.0, Wi-Fi 802.11a/b/g/n, Wi-Fi Direct
Software included	HP Click App for Windows and macOS, HP Click Driver for Windows 11, HP app for Windows, macOS, Android and iOS
Energy star certified	Yes
Minimum dimensions (W x D x H)	1317 x 605 x 932 mm
Minimum dimensions (W x D x H)	51.9 x 23.8 x 36.7 in
Weight	34.7 kg
Weight	76.5 lb
Power consumption	<35 W (printing), <5.6 W (ready), <2.1 W (sleep), <0.2 W (standby)
Environmental certification	ENERGY STAR; WEEE; EU RoHS; EAEU RoHS; REACH; ErP; EPEAT Climate+ Gold; UL Ecologo
What's in the box	HP DesignJet T630 36-in Printer, printer stand, automatic sheet feeder, printhead, introductory ink cartridges, spindle, quick reference guide, setup poster, power cord
Manufacturer Warranty	One-year limited hardware warranty

## Additional specifications

Accessories	B3Q37A HP DesignJet 36-in Spindle
Acoustic power emissions (active, printing)	5.8 B(A) (operating), <3.4 B(A) (idle)
Acoustic pressure emissions	42 dB(A) (operating), <16 dB(A) (idle)
Dynamic security	Dynamic security enabled printer
Electromagnetic compatibility	Compliant with Class B requirements, including: USA (FCC rules), Canada (ICES), EU (EMC/RED Directives), Australia (ACMA), New Zealand (RSM), China (CCC), Japan (VCCI); Certified as Class B product: Korea (KCC)
Finished output handling	Sheet feed, roll feed, automatic sheet feeder, media bin, automatic horizontal cutter
High capacity of page yield (colour)	20 ml of ink yields 101 A1/D pages, taking into account maintenance routines[2]
Ink drop	5.5 pl (C, M, Y); 12 pl (K)
Ink types	Dye-based (C, M, Y); pigment-based (K)
Internal Storage	None
Line accuracy	±0.1%[3]
Maximum optical density (black)	8 L* min/2.10 D[4]
Media sizes standard (metric	
rolls)	279 to 914 mm
-	279 to 914 mm 11 to 36 in
rolls) Media sizes standard (sheets,	
rolls) Media sizes standard (sheets, rolls)	11 to 36 in
rolls) Media sizes standard (sheets, rolls) Media sizes supported	11 to 36 in Auto sheet feeder: A4, A3; manual feed: A4, A3, A2, A1, A0
rolls) Media sizes standard (sheets, rolls) Media sizes supported Media sizes supported	11 to 36 in         Auto sheet feeder: A4, A3; manual feed: A4, A3, A2, A1, A0         Auto sheet feeder: A, B; manual feed: A, B, C, D, E         Auto sheet feeder: 8.3 x 11 to 13 x 19 in; manual feed: 8.3 x 11 to 36 x 74.7
<ul> <li>rolls)</li> <li>Media sizes standard (sheets, rolls)</li> <li>Media sizes supported</li> <li>Media sizes supported</li> <li>Media sizes, custom</li> </ul>	<ul> <li>11 to 36 in</li> <li>Auto sheet feeder: A4, A3; manual feed: A4, A3, A2, A1, A0</li> <li>Auto sheet feeder: A, B; manual feed: A, B, C, D, E</li> <li>Auto sheet feeder: 8.3 x 11 to 13 x 19 in; manual feed: 8.3 x 11 to 36 x 74.7 in</li> <li>Auto sheet feeder: 210 x 279 to 330 x 482 mm; manual feed: 210 x 279 to</li> </ul>
rolls)Media sizes standard (sheets, rolls)Media sizes supportedMedia sizes supportedMedia sizes, customMedia sizes, custom	<ul> <li>11 to 36 in</li> <li>Auto sheet feeder: A4, A3; manual feed: A4, A3, A2, A1, A0</li> <li>Auto sheet feeder: A, B; manual feed: A, B, C, D, E</li> <li>Auto sheet feeder: 8.3 x 11 to 13 x 19 in; manual feed: 8.3 x 11 to 36 x 74.7 in</li> <li>Auto sheet feeder: 210 x 279 to 330 x 482 mm; manual feed: 210 x 279 to 914 x 1897 mm</li> </ul>
<ul> <li>rolls)</li> <li>Media sizes standard (sheets, rolls)</li> <li>Media sizes supported</li> <li>Media sizes supported</li> <li>Media sizes, custom</li> <li>Media sizes, custom</li> <li>Media thickness</li> </ul>	11 to 36 in         Auto sheet feeder: A4, A3; manual feed: A4, A3, A2, A1, A0         Auto sheet feeder: A, B; manual feed: A, B, C, D, E         Auto sheet feeder: 8.3 x 11 to 13 x 19 in; manual feed: 8.3 x 11 to 36 x 74.7 in         Auto sheet feeder: 210 x 279 to 330 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 279 to 310 x 482 mm; manual feed: 210 x 21
rolls)Media sizes standard (sheets, rolls)Media sizes supportedMedia sizes supportedMedia sizes, customMedia sizes, customMedia thicknessMedia thickness (metric)	<ul> <li>11 to 36 in</li> <li>Auto sheet feeder: A4, A3; manual feed: A4, A3, A2, A1, A0</li> <li>Auto sheet feeder: A, B; manual feed: A, B, C, D, E</li> <li>Auto sheet feeder: 8.3 x 11 to 13 x 19 in; manual feed: 8.3 x 11 to 36 x 74.7 in</li> <li>Auto sheet feeder: 210 x 279 to 330 x 482 mm; manual feed: 210 x 279 to 914 x 1897 mm</li> <li>Up to 11.8 mil</li> <li>Up to 0.3 mm</li> <li>Bond and coated paper (bond, coated, heavyweight coated, plain, bright white, blueprint), technical paper (natural tracing), film (clear, matte), photographic paper (satin, gloss, semigloss, polypropylene), self-adhesive</li> </ul>
rolls)Media sizes standard (sheets, rolls)Media sizes supportedMedia sizes supportedMedia sizes, customMedia sizes, customMedia thicknessMedia thickness (metric)Media types	<ul> <li>11 to 36 in</li> <li>Auto sheet feeder: A4, A3; manual feed: A4, A3, A2, A1, A0</li> <li>Auto sheet feeder: A, B; manual feed: A, B, C, D, E</li> <li>Auto sheet feeder: 8.3 x 11 to 13 x 19 in; manual feed: 8.3 x 11 to 36 x 74.7 in</li> <li>Auto sheet feeder: 210 x 279 to 330 x 482 mm; manual feed: 210 x 279 to 314 x 1897 mm</li> <li>Up to 11.8 mil</li> <li>Up to 0.3 mm</li> <li>Bond and coated paper (bond, coated, heavyweight coated, plain, bright white, blueprint), technical paper (natural tracing), film (clear, matte), photographic paper (satin, gloss, semigloss, polypropylene), self-adhesive (adhesive, polypropylene)</li> </ul>
<ul> <li>rolls)</li> <li>Media sizes standard (sheets, rolls)</li> <li>Media sizes supported</li> <li>Media sizes supported</li> <li>Media sizes, custom</li> <li>Media sizes, custom</li> <li>Media thickness</li> <li>Media thickness (metric)</li> <li>Media types</li> <li>Media weight, recommended</li> </ul>	<ul> <li>11 to 36 in</li> <li>Auto sheet feeder: A4, A3; manual feed: A4, A3, A2, A1, A0</li> <li>Auto sheet feeder: A, B; manual feed: A, B, C, D, E</li> <li>Auto sheet feeder: 8.3 x 11 to 13 x 19 in; manual feed: 8.3 x 11 to 36 x 74.7 in</li> <li>Auto sheet feeder: 210 x 279 to 330 x 482 mm; manual feed: 210 x 279 to 914 x 1897 mm</li> <li>Up to 11.8 mil</li> <li>Up to 0.3 mm</li> <li>Bond and coated paper (bond, coated, heavyweight coated, plain, bright white, blueprint), technical paper (natural tracing), film (clear, matte), photographic paper (satin, gloss, semigloss, polypropylene), self-adhesive (adhesive, polypropylene)</li> <li>60 to 280 g/m² (roll/manual feed); 60 to 220 g/m² (auto sheet feeder)</li> </ul>
<ul> <li>rolls)</li> <li>Media sizes standard (sheets, rolls)</li> <li>Media sizes supported</li> <li>Media sizes supported</li> <li>Media sizes, custom</li> <li>Media sizes, custom</li> <li>Media thickness</li> <li>Media thickness (metric)</li> <li>Media types</li> <li>Media weight, recommended</li> <li>Media width, maximum</li> </ul>	<ul> <li>11 to 36 in</li> <li>Auto sheet feeder: A4, A3; manual feed: A4, A3, A2, A1, A0</li> <li>Auto sheet feeder: A, B; manual feed: A, B, C, D, E</li> <li>Auto sheet feeder: 8.3 x 11 to 13 x 19 in; manual feed: 8.3 x 11 to 36 x 74.7 in</li> <li>Auto sheet feeder: 210 x 279 to 330 x 482 mm; manual feed: 210 x 279 to 391 x 1897 mm</li> <li>Up to 11.8 mil</li> <li>Up to 0.3 mm</li> <li>Bond and coated paper (bond, coated, heavyweight coated, plain, bright shite, blueprint), technical paper (natural tracing), film (clear, matte), photographic paper (satin, gloss, semigloss, polypropylene), self-adhesive (adhesive, polypropylene)</li> <li>60 to 280 g/m<sup>2</sup> (roll/manual feed); 60 to 220 g/m<sup>2</sup> (auto sheet feeder)</li> <li>36 in</li> </ul>

Model size	914 mm
Non-Operating Humidity Range	0 to 95% RH
Non-printable area (cut-sheet)	0.2 x 0.2 x 0.2 x 0.7 in (manual feed); 0.2 x 0.2 x 0.2 x 0.2 in (input tray)
Non-printable area (cut-sheet)	5 x 5 x 5 x 17 mm (manual feed); 5 x 5 x 5 x 5 mm (input tray)
Non-printable area (roll media)	0.2 x 0.2 x 0.2 x 0.2 in
Non-printable area (roll media)	5 x 5 x 5 x 5 mm
Operating altitude	Up to 3000 m
Operating altitude	Up to 9843 ft
Operating humidity range	20 to 80% RH
Operating temperature range	5 to 40ºC
Operating temperature range	41 to 104ºF
Package dimensions (W x D x H)	1470 x 575 x 590 mm
Package dimensions (W x D x H)	57.9 x 22.6 x 23.2 in
Package weight	123.5 lb
Package weight	56 kg
Playbook TS icon connectivity	https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08201987.png
Playbook TS icon dimensions AiO	https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08192862.png
Playbook TS icon display AiO	https://h10003.www1.hp.com/digmedialib/prodimg/lowres/c08169148.png
Post consumer recycled plastic in hardware by weight of plastic	40%
Power	Input voltage (auto ranging): 100-240 V (±10%), 50/60 Hz (±3 Hz), 1200 mA max
Print Cartridge/Bottle, Color(s)	Cyan, magenta, yellow, black
Print Cartridges/Bottle, Number	4 (C, M, Y, K) cartridges
Print Technology	Ink
Print cartridge/bottle volume delivered	80 ml (K); 38 ml (K); 29 ml (C, M, Y) per cartridge
Print head nozzles	1376
Print heads	1 (cyan, magenta, yellow, black)
Print languages	HP-GL/2, HP-RTL, CALS G4, JPEG, URF
Print multi-size files in one click	Yes
Print speed	30 sec/page on A1, 76 A1 prints per hour[1]
Print speed	30 sec/page on D, 76 D prints per hour[1]
Print technology	
Frint technology	HP Thermal Inkjet

Printing path	HP Click App, HP Click Driver, HP app, Windows and MacOS printer drivers, HP-GL/2 driver for Windows, Apple AirPrint, Android Default Print Service, Printing support for ChromeOS, Email printing
Product logos	AirPrint; ENERGY STAR; EPEAT Climate+ Gold; Carbon Neutral; Gold IPv6 Ready; Hi-Speed USB; UL Validated; Wi-Fi CERTIFIED; Windows 11 Compatible
Recommended media	Q1396A HP Universal Bond Paper (FSC <sup>®</sup> certified)[5] (recyclable)[6] 610 mm x 45.7 m (24 in x 150 ft);C6019B HP Coated Paper (FSC <sup>®</sup> certified)[5] (recyclable)[6] 610 mm x 45.7 m (24 in x 150 ft);C6029C HP Heavyweight Coated Paper (FSC <sup>®</sup> certified)[5] (recyclable)[6] 610 mm x 30.5 m (24 in x 100 ft)
Remote print enabled	Yes
Roll external diameter	100 mm
Roll external diameter	3.9 in
Roll maximum input	1
Roll maximum weight	6.2 kg
Roll maximum weight	13.6 lb
Safety	USA and Canada (CSA certified); EU (LVD, EN 60950-1 and EN 62368-1 compliant); Russia, Belarus, Khazakstan (EAC); Ukraine (UA); Singapore (PSB); China (CCC); Argentina (IRAM); India (BIS); Mexico (NYCE)
Security features	HP Wolf Essential Security: Secure boot with HW root of trust; Firmware Code Signature Validation; Automatic FW Updates; HTTPS Redirect enabled by default; SNMPv1/2 read-only by default; SNMPv3 disabled by default; Write-protected memory; HP Cartridge Security; Unique password; Disable USB ports; TLS 1.2; 802.1x; IPv4 & IPv6 Compatibility; CA/JD Compatibility
Storage temperature range	-13 to 131ºF
Storage temperature range	-25 to 55℃
Supported Primary Applications	Line drawings; Presentations; Renderings
Theoretical minimum line width	0.0008 in
Theoretical minimum line width	0.02 mm
UNSPSC code	43212104
UPC number	(ABG) 198701028185; (AC4) 198701028215; (ACJ) 198701031413; (AKV) 198701035350; (B19) 198701035343; (B1K) 198701035336; (BCD) 198701035329
Web address for additional information	http://www.hp.com/go/designjett630

### **Services**

### **HP Care Pack Services**

#### **Graphics Solutions Care Pack Services**

HP 2 year Next Business Day Hardware Support for Designjet T630-36 (EMEA) U18JSE ★ HP 2 year Next Business Day Hardware Support for Designjet T630-U18KCE ★ 36(AMS/APJ) HP 3 year Next Business Day Hardware Support for Designjet T630-36 (EMEA) U18JTE ★ HP 3 year Next Business Day Hardware Support for Designjet T630-U18KDE ★ 36(AMS/APJ) U18JVE ★ HP 4 year Next Business Day Hardware Support for Designjet T630-36 (EMEA) HP 4 year Next Business Day Hardware Support for Designjet T630-U18KFE ★ 36(AMS/APJ) HP 5 year Next Business Day Hardware Support for Designjet T630-36 (EMEA) U18JWE ★ HP 5 year Next Business Day Hardware Support for Designjet T630-U18KGE ★ 36(AMS/APJ)

★ : Recommended

## Ink/Toner/Paper/Printer Supplies

## **Ink Supplies**

### HP Graphic Arts Inks/Printheads

HP 712 2-pack 80-ml Black DesignJet Ink Cartridges	3WW89A
HP 712 29-ml Cyan DesignJet Ink Cartridge	3ED67A
HP 712 29-ml Magenta DesignJet Ink Cartridge	3ED68A
HP 712 29-ml Yellow DesignJet Ink Cartridge	3ED69A
HP 712 3-pack 29-ml Cyan DesignJet Ink Cartridge	3ED77A
HP 712 3-pack 29-ml Magenta DesignJet Ink Cartridge	3ED78A
HP 712 3-pack 29-ml Yellow DesignJet Ink Cartridge	3ED79A
HP 712 38-ml Black DesignJet Ink Cartridge	3ED70A
HP 712 80-ml Black DesignJet Ink Cartridge	3ED71A
HP 712B 38-ml Black DesignJet Ink Cartridge	3ED28A
HP 712B 80-ml Black DesignJet Ink Cartridge	3ED29A
HP 713 DesignJet Printhead Replacement Kit	3ED58A

 $\star$  : Recommended

## Accessories

### Paper Handling

 $\star$  : Recommended

Spindles

HP DesignJet 36-in Spindle

B3Q37A

## Disclaimer — Copyright

© Copyright 2024 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool - (ww-en) - Nov 28, 2024 5:47 AM UTC+0000